

Ireneusz Odrzykoski

WYKAZ PUBLIKACJI BRYOLOGICZNYCH
(stan na dzień 15.09.2010)

- Chudzińska E., **Odrzykoski I.J.** (2010): Fast identification method for an allopolyploid liverwort *Pellia borealis* Lorbeer (*Hepaticae, Metzgeriales*). *Cryptogamie Bryologie* 31(1):207-215.
- Miwa H., **Odrzykoski I.J.**, Matsui A., Hasegawa M., Akiyama H., Jia Y., Sabirov R., Takahashi H, Boufford D.E., Murakami N. (2009). Adaptive evolution of rbcL in *Conocephalum* (*Hepaticae, Bryophyta*). *Gene* 441(1-2): 169-75.
- Jankowiak-Siuda K., Pacak A., **Odrzykoski I.J.**, Wyatt R., Szweykowska-Kulińska Z. (2008): Organellar inheritance in the allopolyploid moss *Plagiomnium curvatulum*. *Taxon* 57,1:145-152.
- Cronberg N., Wyatt R., **Odrzykoski I.J.**, Anderson K. (2005): Genetic diversity of the moss *Plagiomnium affine* in forests of contrasting age. *Lindbergia* 30:49-58.
- Wyatt R., **Odrzykoski I.J.** Cronberg N. (2005): High levels of genetic variation in the haploid leafy liverwort *Porella platyphylla* from the southeastern United States. *J. Bryology* 27,3:247-256.
- Jankowiak K., Rybarczyk A., Wyatt R., **Odrzykoski I.**, Pacak A., Szweykowska-Kulińska Z. (2005): Organellar inheritance in the allopolyploid moss *Rhizomnium pseudopunctatum*. *Taxon* 54,2:383-388.
- Szweykowski J., Buczkowska K., **Odrzykoski I.J.** (2005): *Conocephalum salebrosum* (*Marchantiopsida, Conocephalaceae*) - a new Holarctic liverwort species. *Plant Syst. Evolution* 253:133-158.
- Melosik I., **Odrzykoski I.J.**, Śliwiska E. (2005): Delimitation of taxa of *Sphagnum subsecundum* s.l. (*Musci, Sphagnaceae*) based on multienzyme phenotype and cytological characters. *Nova Hedwigia* 80,3-4:397-412.
- Odrzykoski I.J.** (2004): Gatunki kryptyczne u mszaków. [W:] Niedbała W., Łastowski K. (Red.) *Gatunek w systematyce*. Poznań. pp: 58-75.
- Buczkowska K. **Odrzykoski I. J.**, Chudzińska E. (2004): Delimitation of some European species of *Calypogeia* Raddi (*Jungermaniales, Hepaticae*) based on cytological characters and multienzyme phenotype. *Nova Hedwigia* 78,1-2:147-163.
- Cronberg N., Andersson K., Wyatt R., **Odrzykoski I.J.** (2003): Clonal distribution, fertility and sex ratios of the moss *Plagiomnium affine* (Bland.) T. Kop. In forest of contrasting age. *J. Bryol.* 25:155-162.
- Kim H.N., Nitasaka E., **Odrzykoski I.J.**, Yamazaki T. (2001): Phylogenetic relationships among taxa of the liverwort *Conocephalum conicum* (*Conocephalaceae*) revealed by psbA sequence. *Gene Genet. Syst.* 76:279-288.

- Fiedorow P., Odrzykoski I.J., Szweykowski J., Szweykowska-Kulińska Z. (2001): Phylogeny of the European species of the genus *Pellia* (Hepaticae; Metzgeriales) based on the molecular data from nuclear tRNA_{Leu} intergenic sequences. *Gene* 262:309-315.
- Wyatt R., Odrzykoski I.J. (1998): On the origins of the allopolyploid moss *Plagiomnium cuspidatum*. *Bryologist* 101, 2: 263-271.
- Wyatt R., Odrzykoski I.J., Koponen T. (1997): *Mnium orientale* sp.nov. from Japan is morphologically and genetically distinct from *M. hornum* in Europe and North America. *Bryologist* 100, 2: 226-236.
- Odrzykoski I.J., Chudzińska E., Szweykowski J. (1995): The hybrid origin of polyploid liverwort *Pellia borealis*. *Genetica* 98: 75-86.
- Odrzykoski I.J. (1995). Sibling species of the *Conocephalum conicum* complex (Hepaticae, Conocephalaceae) in Poland: distribution maps and description of an identification method based on isozyme markers. *Fragm. Flor. Geobot.* 40(1): 393-404.
- Szweykowski J., Zieliński R., Odrzykoski I., Buczkowska K. (1995): Geographic distribution of *Pellia* spp. (Hepaticae, Metzgeriales) in Poland based on electrophoretic identification. *Acta. Soc. Bot. Pol.* 1:59-70.
- Wyatt R., Odrzykoski I.J., Stoneburner A. (1994): Phylogenetic relationships within *Plagiomnium* section *Rosulata*. *J. Hattori Bot. Lab.* 76:87-95.
- Wyatt R., Odrzykoski I.J., Stoneburner A. (1993): Isozyme evidence regarding the origins of the allopolyploid moss *Plagiomnium curvatulum*. *Mem. Torrey Bot. Club.* 25(1) 21-35.
- Odrzykoski I.J., Stoneburner A., Wyatt R. (1993): Genetic variation in the East Asian endemic moss *Plagiomnium tezukae*. *Journal. Hattori Bot. Lab.* 73:139-146.
- Stoneburner A., Wyatt R., Odrzykoski I.J. (1991): Application of Enzyme electrophoresis to Bryophyte Systematics and Population Biology. *Advances in Bryology.* 4:1-27.
- Wyatt R., Odrzykoski I.J., Stoneburner A. (1992): Isozyme evidence of reticulate evolution in mooses: *Plagiomnium medium* is an allopolyploid of *P. ellipticum* x *P. insigne*. *Systematic Botany* 17(4) 532-550.
- Wyatt R., Odrzykoski I.J., Stoneburner A. (1993). Isozyme evidences that the moss *Rhizomnium pseudopunctatum* is an allopolyploid of *R. gracile* x *R. magnifolium*. *Lindbergia.* 18:49-58
- Odrzykoski I.J., Szweykowski J. (1991): Genetic differentiation without concordant morphological divergence in the thallose liverwort *Conocephalum conicum*. *Plant Syst. Evol.* 178: 135-151.
- Szweykowski J., Odrzykoski I.J. 1990. Chemical differentiation of *Aneura pinguis* (L.) Dum. (Hepaticae, Aneuraceae) in Poland and some comments on application of enzymatic markers in bryology. [In:] Zinsmeister H.D., Mues R. (Eds.) *Bryophytes. Their Chemistry and Chemical Taxonomy.* Oxford Sci. Publications. Clarendon Press. Oxford.
- Wyatt R., Odrzykoski I.J., A. Stoneburner A. (1989). High levels of genetic variability on the haploid moss, *Plagiomnium ciliare*. *Evolution* 43 (5) 1085 - 1096
- Wyatt R., Stoneburner A., Odrzykoski I.J. (1989): Bryophyte Isozymes: Systematic and Evolutionary implications. in: D. Soltis, P.Soltis (eds) *Isozymes in Plant Biology.* Dioscorides Press. Portland Oregon.

- Wyatt R., Odrzykoski I.J., A.Stoneburner, Bass H.W., Galau G.A. (1988): Allopolyploidy in bryophytes: Multiple origin of *Plagiomnium medium*. Proc. Natl. Acad. Sci. USA 85: 5601-5604.
- Odrzykoski I.J. (1987): Genetic evidence for reproductive isolation between two European "forms" of *Conocephalum conicum*. Symposia Biologica Hungarica 35:577-587.
- Odrzykoski I.J., Szweykowski J. (1981): An interesting enzymatic polymorphism in some European populations of the liverwort *Mannia fragrans*. . [In:] J. Szweykowski (Ed.) New Perspectives in Bryotaxonomy and Bryogeography. Poznań pp. 29-32
- Szweykowski J., Odrzykoski I., Zieliński R. (1980): Further data on the geographic distribution of two genetically different forms of the liverwort *Conocephalum conicum* (L.) Dum: the sympatric and allopatric regions. Bull. Pol. Acad. Sci. (Biol.) 28,7:437-449.